

Art Unit: ***

CLM PTO 09/15/04

1. A polyarylene sulfide resin composition comprising (a) from 30 to 75 % by mass of a polyarylene sulfide resin and (b) from 25 to 70 % by mass of a filler, and containing (c) from 0.08 to 1.0 part by weight, relative to 100 parts by mass of the sum of (a) and (b), of an oxidized polyethylene wax having an acid value of at least 10 mg KOH/g and a dropping point of not higher than 120°C.

2. A polyarylene sulfide resin composition comprising (a) from 35 to 70 % by mass of a polyarylene sulfide resin and (b) from 30 to 65 % by mass of a filler, and containing (c) from 0.1 to 0.8 parts by mass, relative to 100 parts by mass of the sum of (a) and (b), of an oxidized polyethylene wax having an acid value of at least 15 mg KOH/g and a dropping point of not higher than 110°C.

Art Unit: ***

3. A polyarylene sulfide resin composition comprising
(a) from 30 to 75 % by mass of a polyarylene sulfide resin and
(b) from 25 to 70 % by mass of a filler, and containing (d) from
0.1 to 1.0 part by weight, relative to 100 parts by mass of the
sum of (a) and (b), of a silicone oil having a viscosity at 25°C
of from 30 to 6,000 mm²/sec.

4. A polyarylene sulfide resin composition comprising
(a) from 35 to 70 % by mass of a polyarylene sulfide resin and
(b) from 30 to 65 % by mass of a filler, and containing (d) from
0.3 to 0.8 parts by mass, relative to 100 parts by mass of the
sum of (a) and (b), of a silicone oil having a viscosity at 25°C
of from 50 to 5,000 mm²/sec.

5. (Amended) The polyarylene sulfide resin composition as claimed in claim 3,
wherein the silicone oil has a backbone structure of dimethylpolysiloxane.

6. (Amended) The polyarylene sulfide resin composition as claimed in claim 3,
wherein the silicone oil is at least one selected from the group consisting of silanol-modified
dimethylpolysiloxanes and alkoxy-modified dimethylpolysiloxanes.

Art Unit: ***

7. (New) The polyarylene sulfide resin composition as claimed in claim 4, wherein the silicone oil has a backbone structure of dimethylpolysiloxane.

8. (New) The polyarylene sulfide resin composition as claimed in claim 4, wherein the silicone oil is at least one selected from the group consisting of silanol-modified dimethylpolysiloxanes and alkoxy-modified dimethylpolysiloxanes.